

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	2	S3 and (reverse or (up adj link))	US-PGPUB; USPAT	OR	ON	2005/12/02 10:13
S2	1	"20020067707"	US-PGPUB; USPAT	OR	ON	2005/12/02 10:13
S10	1	S3 and (reverse or (up adj link)) and load\$3	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S9	1	S3 and (reverse or (up adj link)) and load\$3	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S8	0	S3 and (reverse or (up adj link)) and threshold and load\$3	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S7	1	S3 and (reverse or (up adj link)) and threshold	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S6	0	S3 and (reverse or (up adj link)) and load	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S5	0	S3 and (reverse or (up adj link)) and load and threshold	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S3	2	S1 or S2	US-PGPUB; USPAT	OR	ON	2005/12/02 10:14
S1	1	"20020067701"	US-PGPUB; USPAT	OR	ON	2005/12/02 10:38
S13	19	S11 and S12	US-PGPUB; USPAT	OR	ON	2005/12/02 10:39
S12	339	370/318.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/02 10:39
S11	5054	455/115.1-115.4,436,450,451,452.1,452.2,453.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/02 10:39
S16	7	((reverse adj link) or (up adj link)) with load\$3) same (resource\$3 near4 availab\$5) and (S11 or S12)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:41
S15	12	((reverse adj link) or (up adj link)) with load\$3) same (resource\$3 near4 availab\$5)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:41
S14	57	((reverse adj link) or (up adj link)) with load\$3) and (resource\$3 near4 availab\$5)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:42
S18	101	((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:43
S17	54	((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (S11 or S12)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:43

S22	11	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload	US-PGPUB; USPAT	OR	ON	2005/12/02 10:44
S21	1	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and (access near4 resistance)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:44
S20	1	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and (access near4 resistance near4 timer)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:44
S19	1	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and (access near2 resistance near2 timer)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:44
S25	1	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and (sector near2 state)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:45
S27	0	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and (threshold) and (time adj perios)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:46
S29	0	("2004/0160914").URPN.	USPAT	OR	ON	2005/12/02 10:47
S28	3	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and (threshold) and (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:47
S33	15	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) same (time adj period) and (resource\$3 with availab\$5)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:48
S32	22	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) same (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:48
S31	2	(((reverse adj link) or (up adj link)) with (load\$3 or traffic)) same (resource\$3 with availab\$5) same (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:48
S38	0	S34 and (control near2 threshold)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:54

S37	0	S34 and (sector with state)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:54
S36	0	S34 and (sector adj state)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:54
S40	5	S34 and (activ\$3)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:55
S39	3	S34 and (idle)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:55
S44	1	S34 and (filter\$2)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:56
S43	0	S34 and (filter\$2 with load\$3)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:56
S42	0	S34 and (filter\$2 near4 load\$3)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:56
S41	5	S34 and (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:56
S45	23	(filter\$3 near3 load\$3 near3 estimate)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:57
S35	6	S34 and ((sector near2 load) or (interference) or (signal near2 strength))	US-PGPUB; USPAT	OR	ON	2005/12/02 10:57
S48	1	(filter\$3 with load\$3 with estimate) and (signal adj strength) and overload	US-PGPUB; USPAT	OR	ON	2005/12/02 10:58
S47	7	(filter\$3 with load\$3 with estimate) and (signal adj strength)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:58
S46	2	(filter\$3 near3 load\$3 near3 estimate) and (signal adj strength)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:58
S54	1	(slow adj control adj threshold) with (sector adj state)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:59
S53	2	(slow adj control adj threshold)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:59
S51	1	(access near4 resistance near4 timer)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:59
S50	1	(access adj resistance adj timer)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:59
S49	1	(filter\$3 with load\$3 with estimate) and (signal adj strength) and (access adj resistance adj timer)	US-PGPUB; USPAT	OR	ON	2005/12/02 10:59
S52	10	(slow near2 control near2 threshold)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:00
S58	1	(energy with DRC with gain with code)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:07
S57	1	(pilot with energy with DRC with gain with code)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:07

S56	0	(pilot with energy with DRC with gain with sode)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:07
S55	0	((((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (time adj period) and (pilot with energy with DRC with gain with sode)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:07
S59	1	(energy with DRC with gain with walsh)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:08
S30	98	((((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:10
S60	26	((((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (time adj period) and (signal near2 noise near2 ratio)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:11
S63	0	S34 and (signal near2 noise near2 ratio) and DRC	US-PGPUB; USPAT	OR	ON	2005/12/02 11:12
S62	4	S34 and (signal near2 noise near2 ratio)	US-PGPUB; USPAT	OR	ON	2005/12/02 11:12
S65	1	S34 and (signal near2 noise near2 ratio) and gain and walsh	US-PGPUB; USPAT	OR	ON	2005/12/02 12:22
S67	0	("2004/0160914").URPN.	USPAT	OR	ON	2005/12/02 12:23
S66	0	asif adj gandhi	US-PGPUB; USPAT	OR	ON	2005/12/02 12:23
S34	6	"6937861".pn. "20040219917" "20040160914" "20020167933" "20020111169" "20020052204"	US-PGPUB; USPAT	OR	ON	2005/12/02 12:23
S71	6	"6937861".pn. "20040219917" "20040160914" "20020167933" "20020111169" "20020052204"	US-PGPUB; USPAT	OR	ON	2005/12/05 17:03
S24	2	((((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and (reverse near4 activity near4 bit)	US-PGPUB; USPAT	OR	ON	2005/12/05 17:05
S26	8	((((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and (threshold)	US-PGPUB; USPAT	OR	ON	2005/12/06 14:00
S72	2	S71 and (signal near2 noise near2 ratio) and gain	US-PGPUB; USPAT	OR	ON	2005/12/06 14:01

S73	8	((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and (threshold)	US-PGPUB; USPAT	OR	ON	2005/12/06 18:40
S76	1	((reverse adj link) or (up adj link)) same (load\$3 or traffic)) same (signal near3 strength) same (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/06 18:41
S75	1	((reverse adj link) or (up adj link)) with (load\$3 or traffic)) same (signal near3 strength) same (time adj period)	US-PGPUB; USPAT	OR	ON	2005/12/06 18:41
S77	4	((reverse adj link) or (up adj link)) with (load\$3 or traffic)) and (resource\$3 with availab\$5) and (signal near3 strength) and overload and(reverse near4 bit)	US-PGPUB; USPAT	OR	ON	2005/12/06 18:59
S78	0	crc near3 drc	US-PGPUB; USPAT	OR	ON	2005/12/06 19:40
S81	53	(reverse adj activity adj bit) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/06 20:35
S80	57	reverse adj activity adj bit	US-PGPUB; USPAT	OR	ON	2005/12/06 20:35
S79	23	crc same drc	US-PGPUB; USPAT	OR	ON	2005/12/06 20:35
S74	1	"20040160914"	US-PGPUB; USPAT	OR	ON	2005/12/07 16:02
S82	0	(slow near2 transmission) with (user near2 inactive)	US-PGPUB; USPAT	OR	ON	2005/12/07 16:03
S83	0	(slow near2 quality) with (user near2 inactive)	US-PGPUB; USPAT	OR	ON	2005/12/07 16:30
S84	1643	((time adj period) with rate with (examin\$3 or estimat\$3 or calculat\$4))	US-PGPUB; USPAT	OR	ON	2005/12/07 16:31
S85	211	((time adj period) with rate with (examin\$3 or estimat\$3 or calculat\$4) with signal)	US-PGPUB; USPAT	OR	ON	2005/12/07 16:32
S86	27	((time adj period) with rate with (examin\$3 or estimat\$3 or calculat\$4) with signal) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 17:10
S88	40	(control with (channel or link) with fast) and (control with (connection) with slow)	US-PGPUB; USPAT	OR	ON	2005/12/07 17:11
S90	1	"20040160914"	US-PGPUB; USPAT	OR	ON	2005/12/07 17:30

S89	20	(control with (channel or link) with fast) and (control with (connection) with slow) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 20:08
L1	53	((reverse adj activity adj bit) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 20:09
L3	6	((reverse adj activity adj bit) with signal) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 20:11
L2	17	((reverse adj activity adj bit) with control) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 20:11
L5	1	((reverse adj activity adj bit) with signal same traffic) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 20:12
L4	1	((reverse adj activity adj bit) with signal with traffic) and ("455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/12/07 20:12